This generic SDS is provided by MGS Ltd to give information to assist with material handling of the products listed.



Doc No: HS8 C42-127 Version: MGS 3/JS Date: October 2025 Review Date: October 2026

SECTION 1: Identification of the substance / mixture and of the company / undertaking	
1.1 Product Identifier	
Product Name:	Ballast
Chemical Name:	Natural Aggregate
1.2 Relevant identified uses of the substance or mixture and uses advised against	
Recommended Use:	Raw material for concrete, mortar, macadams and asphalts and other
	recipes requiring natural aggregates. Can also be used as a single sized
	or blended natural product.
Restriction on Use:	None known.
Physical Properties:	Natural aggregates cover of a wide range of sizes and colours.
1.3 Details of the supplier of the Safety Data Sheet	
Name:	MGS Ltd
Address:	Rougham Industrial Estate, Bury St Edmunds, IP30 9ND
Country:	UK
Phone N°:	+44 1359 271167
Email:	info@mgs.co.uk
Website:	www.mgs.co.uk
1.4 Emergency telephone number	
Emergency telephone at the company:	+44 7738 197 517
Available outside office hours:	Yes
Language of the phone service:	English
E-mail of competent person responsible:	darren.portway@mgs.co.uk
National contact:	Darren Portway
SECTION 2: Hazard Identification	

SECTION 2: Hazard Identification

2.1 Classification of the substance or mixture

Not classed as hazardous.

2.2 Label elements

None.

2.3 Other hazards

Respirable dust inhaled over a prolonged period of time could constitute a health hazard. Dust from some natural aggregates will contain respirable crystalline silica. Natural aggregates can cause abrasion or irritation to skin and eyes. Natural aggregates can cause gastrointestinal irritation if ingested.

SECTION 3: Composition / Information on Ingredients

3.1 Substances

Natural product.

3.2 Mixtures

Blended product sand and stone.

SECTION 4: First Aid Measures

4.1 Description of first aid measures

Skin contact:	Wash with soap water. If prolonged contact causes irritation seek medical attention.	
Eye contact:	Irrigate with plenty of water and seek medical attention if soreness continues.	
Ingestion:	Give water to drink and seek medical advice.	
Inhalation:	Move person to fresh air and seek medical attention of symptoms cause breathing difficulties.	

4.2 Most important symptoms and effects, both acute and delayed

Unlikely to be hazardous if handled correctly.

This generic SDS is provided by MGS Ltd to give information to assist with material handling of the products listed.



Doc No: HS8 C42-127
Version: MGS 3/JS
Date: October 2025
Review Date: October 2026

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Fire Fighting Measures

5.1 Extinguishing media

Use according to surrounding fire.

5.2 Special hazards arising from the substance or mixture

None.

5.3 Advice for fire fighters

Avoid breathing fine dust, wear respirator and goggles.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment, and emergency procedures

Avoid breathing fine dust, wear dust mask/respirator and goggles.

6.2 Environmental precautions

Crushed rock, sand and gravel aggregates are inert and should not cause long term environmental damage but may cause nuisance from soiling.

6.3 Methods and material for containment and cleaning up

Vacuum cleaning is the preferred method for dry fine materials

Avoid dry sweeping which creates dust

Water spraying to prevent airborne dust

6.4 Reference to other sections

See Section 8 for exposure controls and personal protection.

SECTION 7: Handling & Storage

7.1 Precautions for safe handling

Handle to minimise the creation of airborne dust. Goggles and dust mask should be worn.

7.2 Conditions for safe storage, including any incompatibilities

Bagged aggregates should be palletised and kept secure. Dry fine bulk products should be stored in silos fitted with emission control equipment. Aggregates containing <3 mm material and stored in the open should be conditioned with water to minimise fugitive dust.

7.3 Specific end use(s)

Raw material for concrete, mortar, macadams and asphalts and other recipes requiring natural aggregates. Can also be used as a single sized or blended natural product.

SECTION 8: Exposure Controls / Personal Protection

8.1 Control parameters

Occupational Exposure Limits

Occupational dust surveys are recommended for personnel with regular exposure to respirable dust.

Corrective action shall be taken where MEL or OES at risk of being exceeded.

UK EH40 MEL EXPOSURE LIMIT 0.3mg/m3 respirable crystalline silica

UK EH40 OES EXPOSURE CONTROL LIMITS:

- 10mg/m³ total dust
- 4mg/m³ respirable dust

8.2 Exposure controls

Tight fitting goggles to protect eyes.



Dust masks / respirator to protect from airborne dust.



This generic SDS is provided by MGS Ltd to give information to assist with material handling of the products listed.



Doc No: HS8 C42-127
Version: MGS 3/JS
Date: October 2025
Review Date: October 2026

Gloves to protect hands.

III SI

Workwear / overalls to protect skin.



SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance

Natural aggregates cover of a wide range of sizes and colours.

9.2 Other information

Classified as inert material chemical properties can vary depending on origin.

SECTION 10: Stability and Reactivity

10.1 Reactivity

None.

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

None.

10.4 Conditions to avoid

None.

10.5 Incompatible materials

None.

10.6 Hazardous decomposition products

None.

SECTION 11: Toxicological Information

11.1 Information on toxicological effects

Caution - Respirable dust could, if inhaled over a prolonged period of time, constitute of health hazard.

SECTION 12: Ecological Information

Dust can cause soiling and damage sensitive vegetation after prolonged exposure. Aggregates are classified inert and not considered to pose ecological concern.

SECTION 13: Disposal Considerations

13.1 Waste treatment methods

Aggregates should be disposed of in accordance with legal requirements.

SECTION 14: Transportation Information

Special carriage recommendations:

- dry fine material best transported by bulk tanker or sealed bags
- aggregates should be sheeted or conditioned with water to minimise dust

SECTION 15: Regulatory Information

15.1 Safety, health, and environmental regulations / legislation specific for the substance or mixture

Supply Label Information

Not subject to the Hazardous Substance Conveyance Regulation and labelling is not required.

Safety Phrases

R20 - Harmful by inhalation.

S22 - Do not breathe dust.

This generic SDS is provided by MGS Ltd to give information to assist with material handling of the products listed.



Doc No: HS8 C42-127 Version: MGS 3/JS Date: October 2025 Review Date: October 2026

Statutory

Health and Safety at Work Act 1974 COSHH Regulation 1994 Consumer Protection Act 1987 Environmental Protection Act 1990 P.P.E. Regulations 1992

Other

EH44 Dust in Workplace

15.2 Chemical safety assessment

No information.

SECTION 16: Other Information

Warning

Natural aggregates may contain respirable silica in the form of Quartz. Prolonged exposure can give rise to silicosis. The respirable percentage of SiO2 available to inhale will depend on the type of aggregate and handling conditions.

Disclaimer:

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability of completeness. It is the user's responsibility to satisfy themselves as to the suitability of such information for their own particular use.